

Camping Checklist - Campsite Departure

Take Down Tech | first departure tasks

- Turn off powered antenna
- Stow weather station
 - ▶ Unplug from above dinette
 - ▶ Remove remote from ladder (reachable through rear window)
- Stow WiFi extender, if used
 - ▶ Remove from roof
 - ▶ Stow extension cord and extender under bed
- Strap down TV on bed
- Turn off stereo

Break Camp | perform to start campsite departure

- Make sure campfire is extinguished
- If full hookups available, perform dump station routine (see below)
- Clean grill and stow in back of truck
- Stow collapsible wagon in back of truck
- Furl US flag and stow
- Move wind sock inside to cupboard door handle over couch
- Put bikes on rack, secure, and cover
- Take down and stow any stand-alone awnings and tables
- Close oven fan vent
- Retract awning
- Sweep off outdoor rug and stow in truck
- Stow paper towel holder
 - ▶ Holder is stored in outside storage
 - ▶ Paper towels stored in pantry
- Stow Kindling Cracker and sledge
- Empty water from cooler

Camping Checklist - Campsite Departure

Interior Travel Prep | perform after Break Camp

- Assure gas stove knobs to off
- Assure oven knobs to off
- Set water heater to off
- Set water pump to off
- Stow dish soap and scrubber in kitchen sink
- Stow flower vase(s) in kitchen sink
- Stow fruit basket in kitchen sink
- Stow fan under left dinette seat, if used
- Stow camp lights over couch, if used
- Stow gas griddle & stove under rear dinette seat
- Stow dishpans, tablecloth under oven
- Empty dirty clothes basket into hamper bag and stow bag under bed
- Stow dirty clothes basket in tub
- Stow bathroom towels, and personal items in dirty clothes basket
- Stow gas cylinders in tub
- Stow bathroom soap in sink
- Empty bathroom waste basket
- Empty main waste basket
- Close ceiling vent
- Stow dog bowls under left dinette seat
- Stow folding chairs next to bed on passenger side
- Stow round table next to bed on passenger side
- Stow dog cot with folding chairs
- Set refrigerator to gas operation and confirm ignition
- Turn off all lights not on the master switch
- Set A/C and Furnace to off
- Install cupboard twist-ties

Camping Checklist - Campsite Departure

- ▶ Stored in Hilltop Trailers cookie tin over the couch
- Turn off master light switch and make sure all lights off
- Close windows
- Take trash and recyclables to dumpster (or put in back of truck for disposal at dump station)

Utilities Disconnect | perform after most items are stowed

- Disconnect from shore power
 - ▶ Turn off power at the pedestal
 - ▶ Disconnect power cord to surge protector and trailer power inlet and stow in bucket
 - ▶ Disconnect surge protector
 - ▶ Stow bucket inside at foot of bed or in bed of truck
- Disconnect water hose, if used
 - ▶ Stow regulator and filter in outside storage compartment - driver side
 - ▶ Roll up hose while draining it and connect ends to prevent contamination then stow in outside storage compartment - driver side

Tow Vehicle Hookup | perform after items are stowed and utilities disconnected

- Retract stabilizer jacks and stow blocks in passenger side storage
- Remove and stow X-braces
- Turn on LevelMate
- Stow steps
- Connect to tow vehicle with weight distributing hitch
 - ▶ Return hitch level using tongue jack to saved height per LevelMate
 - ▶ Move tow vehicle hitch ball under hitch
 - ▶ Lower hitch onto hitch ball
 - ▶ Latch and lock hitch
 - ▶ Attach safety chains

Camping Checklist - Campsite Departure

- ▶ Attach 7-pin cable
- ▶ Attach breakaway cable
- ▶ Raise hitch using tongue jack until hitch bars can slide into place
- ▶ Retract tongue jack fully and store block in driver side storage
- ▶ Retract jack foot by pulling pin, sliding up, and replacing pin
- Turn off LevelMate
- Put dog in truck and stow lead inside trailer door
- Lock door
- Pull trailer chocks and stow chocks in both side storage compartments
 - ▶ This could require moving the trailer slightly
- Lock storage compartment doors
- Close and fasten truck tonneau cover
- Walk around and check all valves closed, covers in place, and vents closed
- Check all connections at hitch are made including hitch ball, 7-pin cord, chains, and break away cable
- Check turn signals and brake lights
- Turn on running lights and check backup camera operation
- Depart campsite

Visit Dump Station | if required and available

- Hookup drain hose (stored in bumper, fittings in outside storage)
- Empty black holding tank
- Close valve
- Empty gray holding tank
- Back-flush black holding tank, if time permits
- Add toilet chemicals to toilet
- Rinse hose and store in bumper
- Use outdoor shower to wash hands